

Express5800/GT110bå°Žå...¥

Category : ã,µäf¼äf•ç®ïç•†æ—¥è™

Published by M-naka on 2010/8/1

ç°%è¡ŒAmatsuå•Œä,ä•†å•™ä•ç°%ä•4å°ä, 'è¿Žä•ã, [ä€,](#)
ç°%ä•«æ•...éšœä,,ä•ä½œä, •è‰ç°%ä•-èµ·ä•ä•!ä•,,ä•Œä€ä•ä•ä, •ä•ä•ä, •æ•'æ-°ä•®é få•^ä€, é•,
ä, "ä• ä•ä•®ä•"ä•Œä€ä,

NEC Express5800/GT110b

ç»¾èŒŒExcaliburäŒŒExpress5800/110GeäŠåä€•å‰ä•®å¾Œç¶™ä•®å¾Œç¶™ï¼^é—“ä•«ä€žGT110a
ä€•ä•Œä•ä,ï¼%ä€,ç›å¤‰ä•ä,%oä•šä•®OSäf¬ä,¹äfçäf†äf «ä•ä•Œä•

äf»Intel-VTå^{-3/4}å¿œäf†äf¥ä,çäf«ä,³ä,çCeleronæ•-è^{1/4}%

ãf»160GB HDD + 1GB Memory(ECC)

iā, ·äf^aäf¹%ä, %ä•Œä•ä, <ä•Œä€•ä>¥å‰•ä•«æ•»æ•ä!Xeonä•®ä%jæ ¼ä•Œä•“ä•ää, Œä•Ýä•®ä•§ä€•ä•ä
½œå®Ýç, ¾ä•ä‰Non-ECCäf|äfçäf^aä•§ä•ä%œä•™ä, Xeonä•“ä•ä‰•ä•™ä, <ä“ä•ä•“ä•—ä•Ýä€,

ä,¹ãfšãffã,¬ã•¬ã•“ã,“ã•ªæ,,Ýã•~ã€,

äf›ä,¹äf^å••í¼šAegis.mythril.ne.jp

NEC Express5800/GT110b €16,800

CPU Intel Xeon L3426 4.1GHz Hyper-Threading VT-d \$29,980

ãfjãfçãfãi¼šSilicon Powerè£¹½•2GB*2=4GBã€€7,870

HDD i 1/4 š Western Digital 2TB *2 a, 'Software RAID-1 8,780*2

Graphicci%ščŽ„äooå¿—å‘ã€€RH4350-LE256HD/HS2ã€€2,980

TV-Captureï¼šEarthSoft PT2€€16,800

CPUã€ä, €ç•ºé«~ã„ã•®ã•~ã•”æ, »å¬Œä•§ã•, ã, \langle ã€,
ã, ~ã, çäffäf%ã, \exists ã, çä•®Hyper-Threadingå¬¾å¿œä•ã•®ã•§è «~ç•†ã, \exists ã, çä•~æœ€å¤§8ã, \exists ã, çä€, æ“~ä¼½
½ã, \exists ã, ~ã, çä•ã, çä•§ã•, ã, \langle ã€,

OE²ç» æ©Ýèf½å•~åœäƒtä, „å~%å¿œä•§å~¥é€"PT2ä, 'å°å‰•ä•«è²•ä•£ä•!ä•ä•£ä•Ýä•®ä•§ä•“ä, ØEä, 'è£...ç•€ä€, ç•%4æ™, ç, 1ä•§9ä, †åttä•!ä, †ä•„ä€, †äf, †äfçäfªè²•ä•, „è¶³ä•—ä•!10ä, †åttä•!ä•, „ä•†ä•“ä, „ä•ä•„ä€,

ã,ºãƒäfœäf¼äf‰ã•§ã,µäf¼äf•ç”“ä•®ã,ºäf@äf•ã,£äffä,‐æ©Ýèf½ä•Œä•ã,‹ä•®ã•«ã€•ã,•ä—ã,ºäf@äf•ã,£äffä,‐äfœäf¼äf‰ã,’æŒ¿ä•—ä•Ýã•®ã•‐ä€•ä»®æf³ç’°åçfä•§ã••ä•ã•™Windows7-Enterpriseã•«PCIäf'ã,¹ã,¹äf”“äf¼äf•§ãf•ã,µäf³äf‰ã•ä•ã,‐ä,“ä•†ã•‐è€fä•^ä•Ýã•ã,%ä€,ä•“ä,Œä•‐ä€ŒAdo be Flash

— $\ddot{\text{a}}$ — $\ddot{\text{a}}$ — $\ddot{\text{a}}$ —Xeon

OS - CentOS 5.5 x86_64 % Kernel-based Virtual Machine

ã•ã, Šã•, ã•ã•šã€•WindowsXP-Proï¼SP3ï¼‰ã•ã€•Windows7
Enterpriseã, 'KVMã, Šã•§ã, -ãfºãf¼ãf³ã, ãf³ã, ¹ãfºãf¼ãf «ã€•ã, -ãf©ã, ãf, ãf³ãfºãfºâ€|â€|ã•,,ã•
†ã•ã€•ã, ãfžãf‰ã, -ã•ã•£ã•ã««è€•ã•«è€•ã•“VDLï¼Virtual Desktop
Infrastructureï¼%oçºåçfã, 'æ§çº‰ã•—ã•!ã•¿ã•Ýã€, Amatsuçºåçfã•“Excaliburçºåçfã•“ã•®å•®ã•Œã•
„ã•ã•§ã•ççºèã•ã•§ã•ã, <ã€,

1/4 „1/4 % „ã•« „ã•„é€Ýã•,,
ã€€ã•¹ã,%„ã•¹/4ã•†ã•« „ã,¹ãfšãffã, „ã,çãffãf—ã—ã•|ã•,,ã,
½œã•`ã,,ã•`ã,Šé€Ýã•,,ã,

1/4 "1/4 % Adobe Flash® 3.0, ± 3.0 a., ..

Amatsuā•"Excalibur•®å®Œå...ä»®æf³åŒ—ç°å¢få—Xenå•§å€•Qemuå,ä½¿ç""ä—ä•lå„å,å•®
ä—åŒå—ä€,å•§å€•Xenç°å¢fåŒ—å•§å—äf—åf©å,¶å•®Adobe Flash

ã,°ãf@ãf•ã,£ãffã,æ©Ýèf½â€|â€|ã•”ã•„ã•†ã•[Ã€](#)•Adobe Flash

ã,Šā•™ã,‹ã•®ã•§ã€•ã•“ã•®å...^ã•Œæ¥½ã•—ã•¿ã•§ã•,ã,‹ã€,

ã•jã•^ã•¿ã•«çŽ,ã•^ã—å•‘ã•®ã€ŒRH4350-LE256HD/HS2ã€•ã•`HDMIã,µã,|ãf³ãf‰œ©Ýèf½ã,’æ•-è
¼‰œ—ã•!ã•Šã,Šã€•HDMIæŽ¥ç¶šæ™,ã•«é™•ã®šã•-ã••ã,Œã,‹ã,ã•®ã•®ã€•ã•“ã,Œ1æžši¼^PCI-Exp
ress 2.0

x16ï¼‰œ•§ã,µã,|ãf³ãf‰œ©Ýèf½ã,,è³,,ã•^ã•lã•,,ã,‹ã€,GT110bã•-ã,µã,|ãf³ãf‰œ©Ýèf½ã•Œã•^ã•,ã•®
ã•§ã€•ã•“ã,Œã•-ã•éf½ã•^ã€,

è©³ç‘°ã•-ã•“ã,Œã•<ã,‰œã• ã•Œã€•ã^ã®šã•—ã•lã•,ã,‹Aegis.mythril.ne.jpã•®ç””é€"ã•-ã»¥ã,‹ã€,
å¤—å•‘ã••ã•®ã»®æf³ã,µãf½ãf•ã€ŒGungnirã€•ã,’Excaliburã•<ã,‰œç§»è¡Œã€•KVMåŒ—
ãf»ãf•ã,¡ã,¤ãf «ã,µãf½ãf•
ãf»VDI